



**NOTES:**

1. 30# FELT (MINIMUM) REQUIRED BETWEEN ALL PANELS AND SUBSTRATE.
2. NOTCH PANEL LEG BACK  $\frac{7}{8}$ " AND FOLD PAN AROUND EXTENDED EAVE.

- |   |                     |   |               |
|---|---------------------|---|---------------|
| ① | SL-LO ROOF PANEL    | ⑥ | 7" BOX GUTTER |
| ② | CONCEALED ROOF CLIP | ⑦ | GUTTER STRAP  |
| ③ | TAPE SEAL           | ⑧ | DOWNSPOUT     |
| ④ | EXTENDED EAVE TRIM  |   |               |
| ⑤ | OFFSET CLEAT        |   |               |

ARCHITECTURAL BUILDING COMPONENTS  
 11625 N. HOUSTON ROSSLYN RD.  
 HOUSTON, TX. 77086  
 (281) 931-3986 OR (800) 423-1105  
 FAX: (281) 931-3989  
 www.archmetalroof.com

DETAIL:  
 EAVE WITH 7" BOX  
 GUTTER

PANEL TYPE:  
 SNAP LOCK SYSTEM  
 "SL LO"

DATE:  
 10-10-02

DETAIL #:  
 SLL-3